



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PROCEEDINGS
OF
THE ROYAL SOCIETY.

1832-1833.

No. 11.

November 15, 1832.

JOHN WILLIAM LUBBOCK, Esq. M.A., V.P. and Treasurer,
in the Chair.

A paper was read, entitled "On some Properties of Numbers in Geometrical Progression." By Charles Blacklewar, Esq. B.A. Communicated by J. G. Children, Esq. Sec. R.S.

This paper contains the demonstrations of the three following theorems; namely,

1°. If the terms of a geometrical series be raised to 2^n , then any odd number of them is divisible by the corresponding terms of the original series.

2°. If each term of a geometrical series be raised to any odd power, the sum of the terms so raised is divisible by the original series, if the number of terms taken be any power of 2.

3°. If the number of terms of a geometrical series be any power of 2, the sum of the terms raised to the power m is divisible by the sum of the same terms raised to the power n , provided m divided by n be a whole number.

November 22, 1832.

JOHN BOSTOCK, M.D. Vice-President, in the Chair.

A paper was read, entitled "Account of an Improvement in the Machine for producing Engravings of Medals, Busts, &c. directly from the Objects themselves, in which the Distortions hitherto attending such Representations are entirely obviated." By Mr. Bate. Communicated by J. G. Children, Esq. Sec. R.S.

Some printed representations of medals having been received from America, about fifteen months ago, evidently effected by some process of ruling, Mr. Bate, jun. constructed an instrument for accomplishing the same object; but the results, both of the American method and of the one invented by Mr. Bate, were attended with a degree of distortion. This the author has ingeniously obviated, by giving an inclination of 45 degrees to the plane in which the tracing-line is moved over the surface of the object of which a representation is to be given.